

Montážní návod

PERGOLA **VILSTE**







(1) 240 min



COVERNIT s.r.o.



INFO@COVERNIT.cz



Manual del usuario

Please check local building codes regarding footings, location and other requirements before beginning construction. Study and understand this owner's manual of important information and helpful tips for easier and more enjoyable assembly.

Assembly instructions:

Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Parts and Parts List:

Before you start, separate and identify all the parts and hardware to be sure that you have all the necessary parts for your building (refer to the Parts List Page).

If you find that a part is missing, please notify the seller within one week after receiving the product. Do not attempt to assemble the building if parts are missing because any building left partially assembled may be seriously damaged by light winds.


(Please tear off the safety protection layer before the assembly, keep the part number label if needed)

Safety must be put in the No. 1 position:

- 1 Select a dry and calm day for your assembly. Team works (Two or more people) are required during the assembly;
- 2 Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury; Pay attention to the sharp edge of some parts;
- 3 Children and pets are not allowed entering into the construction site;
- 4 Never concentrate your total weight on the roof of the building. When using a step ladder make sure that it is safety;

Care & Maintenance:


- 1 Keep the shed clean with soft cloth, use water if necessary;
- 2 Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.
- 3 Clean the snow with necessary tools to make sure it is safe to enter into; Heavy snow may cause collapse, please make sure safety before entering into.
- 4 The shed is not made for living but storing stuff.
- 5 Please add some oil on the top and bottom door sliding channel to make door slides smoothly.



PACKING DETALS:TOTAL 4BOXES


Name of parts	Section	QTY(pcs)
	Box 1/4	
Bd-A19	75	6
Bd-A19b		6
Bd-A12a		1
Bd-A12b	8	1
Bd-A12c	Led	1
Bd-A20	r	2
Bd-A20b		2
	Box 2/4	
Bd-A24a		1
Bd-A24b		1
Bd-A24c		1
Bd-A5a		1
Bd-A5b		1
Bd-A5c	اتعنا	1
Bd-8		3
Bd-12	L	2
Bd-19		6
Bd-20	LJ	2
Bd-14		7
Bd-4	<u>(e.j.)</u>	6
Ba-2		2
Bd-1	0	3
Bd-P6	8	2
Bd-P3L	5	1


Name of parts	Section	QTY(pcs)		
Bd-P3R	E3	1		
Bd-P1L		1		
Bd-P1R		1		
Bd-P2L		1		
Bd-P2R		1		
Bd-P5	ð	2		
Bd-F27	9	70 +2		
Bd-F28	9	70 +2		
Bd-F29	8/0/0	40 +2		
Bd-F30	•	6 +2		
Bd-F31	CHOLL D	12		
Bd-F32	2	6 +2		
Bd-F33	Î	12 +2		
Instructio	on manual	1		
Bd-F34	Ī	8 +2		
Bd-F35	®	12 +2		
Box 3/4				
Bd-A23		7		
Box 4/4				
Bd-A23		7		





_	-	_
Ų.	PΑ	RT
	1	
/	V	ω

NO.	IMAGE	mm	QTY	NO.	IMAGE	mm	QTY
Bd-1	0		х3	Bd-F27	P	M6x12	x70+2
Ba-2			x2	Bd-F28	@	M6	x70+2
Bd-4	60		х6	Bd-F29	8/0/1	ST6 x20	x40+ <u>2</u>
Bd-8	€		х3	Bd-F30	•	M6	x6+2
Bd-12			x2	Bd-F31		M8	x12
Bd-A19			х6	Bd-F32	2	ST5.5x50	X6 + 2
Bd-A19b			х6	Bd-F33	₩	ST3.5x35	X12 +2
Bd-A20			x2	Bd-F34	T	ST3.0x16	x8 +2
Bd-A20b			x2	Bd-F35	~	ST3.5x19	x12 +2
Bd-A5a	کست		x1				
Bd-A5b	_		x1				x1
Bd-A5c	لاحتا		x1		DEC	10-12mm	x1
Bd-A12a	8		x1				
Bd-A12b			x1				
Bd-A12c	Low		x1				
Bd-A24a	7		x1				
Bd-A24b			x1				
Bd-A24c	25	94	x1				
Bd-19			х6				
Bd-20			x2				
Bd-14			х7				
Bd-A23			x14				
Bd-P1L			x1				
Bd-P1R			x1				
Bd-P2L			x1				
Bd-P2R			x1				
Bd-P3L	3		x1				
Bd-P3R	ð		x1				
Bd-P5			x2				
Bd-P6	8		x2				
141							










	Bd-A12a	1
	Bd-A12b	1
	Bd-A12c	1
9	Bd-F27	18





	Bd-20	2
	Bd-A12a	1
	Bd-A12b	1
J	Bd-A12c	1
8/0/01	Bd-F29	8
8	Bd-P6	2

)4

